



PO Box 700005  
 Tulsa, OK 74170  
 (918) 252-2571  
 (918) 252-2574 Fax  
 sales@coolersbyrr.com

## Request for Quote

**Contact Information:**

Company: \_\_\_\_\_  
 Name: \_\_\_\_\_  
 Reference / Project: \_\_\_\_\_

Email: \_\_\_\_\_  
 Phone: \_\_\_\_\_  
 Fax: \_\_\_\_\_

Ambient Temperature (°F): \_\_\_\_\_ Elevation (ft): \_\_\_\_\_

Fan Drive:  Engine  
 Electric Motor  
 Hydraulic Motor

**Cooler Style:**

- UI - Vertical Coils, Induced Draft, Horizontal Air Intake, Vertical Air Discharge
- R - Vertical Coils, Induced or Forced Draft, Horizontal Air Intake, Horizontal Air Discharge
- H - Horizontal Coils, Forced Draft, Vertical Air Intake, Vertical Air Discharge
- UH - Horizontal Coils, Forced Draft, Horizontal Air Intake, Vertical Air Discharge

**Engine Information:**

Manufacturer: \_\_\_\_\_  
 Model: \_\_\_\_\_  
 H.P. \_\_\_\_\_  
 R.P.M. \_\_\_\_\_

**Compressor:**

Manufacturer: \_\_\_\_\_  
 Model: \_\_\_\_\_  
 Lube Oil Cooling:  Yes  No

**Performance\*:**

	1	2	3	4	5	6	7
Service:							
Flow (#/hr, gpm, mmscfd)							
Fluid (Gas, E.G., Amine, H.C. Liquid)							
Fluid M.W., S.G., or Wt%							
Temperature In (°F)							
Temperature Out (°F)							
Inlet Pressure (psig)							
Allowable Pressure Drop (psi)							
Duty (Btu/hr)							
Design Pressure (psig)							
Design Temperature (°F)							
Even or Odd Pass							

**\*Please include Manufacturer's Performance Sheets.**

**Additional Information:**

- ASME Stamp
- Automatic Shutters
- Smooth Fin
- Hot Dip Galvanized
- N.B. Registered
- Manual Shutters
- Slotted H-Fin
- Top Coat
- C.R.N. (Province \_\_\_\_\_)
- Hail Guards
- Corrosion Allow. \_\_\_\_\_
- Standard Prime

**Notes:**

Please indicate any other specifications that may be applicable for design purposes. (i.e. water saturated gas; sour service; materials of construction, etc.)

---



---



---